

In the Claims

Claims 1 – 19 (Cancelled)

20. (Currently Amended) A method for processing at least one substance in a reservoir of a microdosing device, said microdosing device being a micropipette or a microdispenser and said reservoir having an outlet being adapted for microdroplet delivery, comprising the steps of:

arranging a solid carrier material as a solid phase with a binding-active surface in the reservoir, said carrier material being held with a drive device located outside said reservoir;

collecting the substance in the reservoir by repeatedly performing the steps of uptaking a solution or suspension liquid with the substance into the reservoir[[:]], repeatedly moving the carrier material in the reservoir with said drive device and binding the substance to a surface of the carrier material[[:]] and delivering the remaining liquid from the reservoir; and

uptaking an elution agent separating the bound substance from the carrier material or a reaction partner reacting with the substance in the reservoir.

Claims 21 - 22(Cancelled)

23. (Previously Presented) The method according to Claim 20, further comprising moving the carrier material, which comprises magnetic particles, with a changeable magnetic field.

24. (Previously Presented) The method according to Claim 23, wherein the changeable magnetic field is formed by simultaneous movement of permanent magnets in relation to the reservoir.

25. (Previously Presented) The method according to Claim 23 in which the changeable magnetic field is generated by electromagnets or microsuperconductors.

26. (Previously Presented) The method according to Claim 20, further comprising moving the carrier material, which comprises a carrier pad, with a mechanical actuating element.

27. (Previously Presented) The method according to Claim 20, wherein the dosing device is a microdispenser or a micropipette.

28. (Previously Presented) The method according to Claim 20, wherein processing the substance is selected from the group consisting of concentration, purification, preparation and synthetization.

29. (Previously Presented) The method according to Claim 20, wherein the volume of the reservoir is less than 500 μ l.

30. (Currently Amended) A device for processing at least one substance, comprising:
a microdosing device having a reservoir in which a solid carrier material with a binding-active surface is movably arranged, the reservoir having an outlet that delivers microdroplets, said microdosing device being a micropipette or a microdispenser; and

a drive device located outside the reservoir for holding and ~~repeatedly moving~~for performing a repeated, aimed movement of the carrier material in the reservoir.

31. (Cancelled)

32. (Previously Presented) The device according to Claim 30, wherein the carrier material comprises magnetic particles.

33. (Previously Presented) The device according to Claim 32, wherein the drive device comprises a magnet device.

34. (Previously Presented) The device according to Claim 33, wherein which the magnet device comprises at least one permanent magnet.

35. (Previously Presented) The device according to Claim 30, wherein the carrier material comprises a porous carrier pad.

36. (Previously Presented) The device according to Claim 30, further comprising a multitude of microdosing devices each having a reservoir, and a drive device comprising a multitude of magnet devices or carrier pads.

37. (Previously Presented) The device according to Claim 36 in which the multitude of microdosing devices comprise a row of piezoelectric microdispensers.

38. (Previously Presented) The device according to Claim 30 in which the volume of the reservoir is less than 500 μl .